

# FX3G

## MELSEC Compact PLC

### Extending your options

A new choice for comprehensive machine control



PROVEN  
TECHNOLOGY

Applies the proven FX3U design to smaller but performance critical applications



FLEXIBLE  
DESIGN

Add a variety of capabilities to suit specific application needs



SHORT LEARN-  
ING CURVE

Builds on existing FX series hardware and programming for quick adoption and investment protection



EASY  
INTEGRATION

Direct control of inverter and motion control systems with no extra hardware

# FX3 power, compressed



FX3G has the versatility to handle applications from a wide range of industries.

## More for less

While being intended for smaller systems, the FX3G still delivers a powerful combination of essential features, plus more not expected from a controller at this level. These include; a large program memory to implement sophisticated algorithms, ample space for data storage, logging or recipes, plus high speed execution to enhance system productivity. A dual bus architecture provides flexible expansion possibilities for additional I/O capacity and communication functions.

## Easy system integration

The FX3G can operate as a standalone controller, but for when integration with other system components is required, a range of standard features makes it stand out from the crowd. Mitsubishi builds in standard instructions that permit easy control of our inverters over a precise, reliable digital link. This makes it simple to connect an inverter such as a FR-D700 to provide more precise motor operation while optimizing energy use.



Mitsubishi Electric Corporation Himeji Works is a factory certified for ISO14001 (standards for environmental management systems) and ISO9001 (standards for quality assurance management systems)

## Feel our strength

Mitsubishi Electric is the undisputed world leading supplier of compact PLCs. We originated the concept of this type of controller over thirty years ago. Our global installed base exceeds 9 million systems and our philosophy of listening to customer needs insures this base continues to grow. The introduction of the FX3U PLC set a new benchmark for performance and flexibility in the compact PLC market and we have continued to innovate. The result is the FX3G, our new answer to applications needing FX3U like capabilities in smaller scale systems.



Precise motor control with digital links


Motion control is also simple to implement. The FX3G provides direct control of up to three independent axes without any additional hardware. Hence cost effective multi-axis systems can be built without requiring a costly controller overhead.



Direct motion control of up to three axes without further hardware

## Easy expansion

When it comes to increasing the capabilities of an FX3G, we extend your options while protecting your skills and investments. The dual bus architecture provides twice as many expansion possibilities compared to previous designs. On one bus, the FX3G uses additional, familiar FX family I/O and special function blocks to add a comprehensive variety of I/O and special function capabilities such as analogue and networking. On the other system bus, the FX3G uses the existing FX3U special adapters to provide high performance communication and analog capabilities that are




Comprehensive open network connectivity support

directly linked to the CPU. This reduces programming while increasing performance, leading to faster development and higher productivity.

## The great communicator

Finally, the FX3G offers you a wide selection of options when it comes to networking and communications. This begins with standard serial communication support and builds up to comprehensive coverage of common open automation networks. These include CC-Link, CANopen, Profibus-DP and Ethernet. Further, a built-in USB port makes permits convenient connection to any PC or laptop for high speed program uploads and downloads along with monitoring.



The FX3G makes building complete systems easy.

# Specifications ///


Specifications	FX3G-14M □	FX3G-24M □	FX3G-40M □	FX3G-60M □
I/O points	256 total (combined local and CC-Link remote I/O)			
Address range	Max. 128 direct addressing and max. 128 remote I/O			
Power supply	100–240 V AC (+10 % / -15 %), 50/60 Hz			
Program memory	32,000 steps EEPROM (internal), exchangeable EEPROM memory cassette with loader function			
Instruction Time	0.21 µs or 0.42 µs / contact instruction			
Integrated inputs	Number of inputs	8	14	24
	Input signal voltage	24 V DC (±10 %)		
	Input form	sink/source		
	Response time	Approx. 10 ms		
	Isolation	Photocoupler isolation		
Integrated outputs	Number of outputs	6	10	16
	Switching voltage	<240 V AC, <30 V DC (relay output), 5 – 30 V DC (transistor output)		
	Output type/form	Relay or transistor		
	Max. load	2A/point, max. 8 A total (relay), 0.5 A/point; max. 0.8 A for 4 output points/common terminal (transistor)		
	Response time	10 ms (relay), < 5 µs (for Y000 and Y001) / 0.2 ms (for all other outputs) (transistor)*		
Isolation	Photocoupler isolation			
High-speed counters	21 total, with 16 1-phase (C235 - C250) and 5 2-phase (C251 - C255)			
High-speed outputs	-2,147,483,648 to 2,147,483,647			
24V DC service power supply	400 mA			
Environment	0 – 55 °C ambient temperature; 5 – 95 % relative humidity			

\* The 40 and 60 I/O point transistor output base units have a 5µs response time for Y002

## Dimensions

PLC	X
FX3G-14M □	90
FX3G-24M □	90
FX3G-40M □	130
FX3G-60M □	175

All dimensions in mm



### EUROPEAN BRANCHES

MITSUBISHI ELECTRIC EUROPE B.V. 25, Boulevard des Bouvets F-92741 Nanterre Cedex Phone +33 (0)1 / 55 68 55 68	<b>FRANCE</b>
MITSUBISHI ELECTRIC EUROPE B.V. Gothaer Straße 8 D-40880 Ratingen Phone +49 (0)2102 / 486-0	<b>GERMANY</b>
MITSUBISHI ELECTRIC EUROPE B.V. Westgate Business Park, Ballymount IRL-Dublin 24 Phone +353 (0)14198800	<b>IRELAND</b>
MITSUBISHI ELECTRIC EUROPE B.V. Viale Colleoni 7 I-20041 Agrate Brianza (MI) Phone +39 039 / 60 53 1	<b>ITALY</b>
MITSUBISHI ELECTRIC EUROPE B.V. Carretera de Rubí 76-80 E-08190 Sant Cugat del Vallés (Barcelona) Phone +34 93 / 565 3131	<b>SPAIN</b>
MITSUBISHI ELECTRIC EUROPE B.V. Travelers Lane UK-Hatfield, Herts. AL10 8XB Phone: +44 (0)1707 / 27 61 00	<b>UK</b>

### EUROPEAN REPRESENTATIVES

GEVA Wiener Straße 89 AT-2500 Baden Phone: +43 (0)2252 / 85 55 20	<b>AUSTRIA</b>	AutoCont C. S., s.r.o. Technologická 374/6 CZ-708 00 Ostrava-Pustkovec Phone: +420 595 691 150	<b>CZECH REPUBLIC</b>	UTEKO A.B.E.E. 5, Mavrogenous Str. GR-18542 Piraeus Phone: +30 211 / 1206 900	<b>GREECE</b>	Beijer Electronics UAB Savanoriu Pr. 187 LT-02300 Vilnius Phone: +370 (0)5 / 232 3101	<b>LITHUANIA</b>	ELEKTROSTILY Rubzovskaja nab. 4-3, No. 8 RU-105082 Moscow Phone: +7 495 / 545 3419	<b>RUSSIA</b>	INEA d.o.o. Stegne 11 SI-1000 Ljubljana Phone: +386 (0)1 / 513 8100	<b>SLOVENIA</b>
TEHNIKON Oktyabrskaya 16/5, Off. 703-711 BY-220030 Minsk Phone: +375 (0)17 / 210 46 26	<b>BELARUS</b>	B:TECH, a.s. Na Ostrove 84 CZ-580 01 Havlicukv Brod Phone: +420 569 777 777	<b>CZECH REPUBLIC</b>	MELTRADE Ltd. Fertő utca 14. HU-11017 Budapest Phone: +36 (0)1 / 431-9726	<b>HUNGARY</b>	INTEHISIS srl bld. Traian 23/1 MD-2060 Kishinev Phone: +373 (0)22 / 66 4242	<b>MOLDOVA</b>	ICOS Ryazanskij Prospekt, 8A, Office 100 RU-109428 Moscow Phone: +7 495 / 232 0207	<b>RUSSIA</b>	Beijer Electronics AB Box 426 SE-20124 Malmö Phone: +46 (0)40 / 35 86 00	<b>SWEDEN</b>
Koning & Hartman B.V. BE-1800 Vilvoorde Phone: +32 (0)2 / 257 02 40	<b>BELGIUM</b>	B:TECH, a.s. Headoffice, U Borové 69 CZ-580 01 Havlicukv Brod Phone: +420 569 777 777	<b>CZECH REPUBLIC</b>	ILAN & GAVISH Ltd. 24 Shenkar St., Kiryat Arie IL-49001 Petah-Tiqva Phone: +972 (0)3 / 922 18 24	<b>ISRAEL</b>	Koning & Hartman B.V. NL-1101 CH Amsterdam Phone: +31 (0)20 / 587 76 00	<b>NETHERLANDS</b>	NPP "URALELEKTRA" Sverdlova 11A RU-620027 Ekaterinburg Phone: +7 343 / 353 2745	<b>RUSSIA</b>	ECONOTEC AG Hinterdorfstr. 12 CH-8309 Nürensdorf Phone: +41 (0)44 / 838 48 11	<b>SWITZERLAND</b>
AKHMATON 4 Andrej Ljapchev Blvd. Pb 21 BG-1756 Sofia Phone: +359 (0)2 / 97 44 05 8	<b>BULGARIA</b>	Beijer Electronics A/S Lautrupvej 1-3 DK-2750 Ballerup Phone: +45 (0)70 / 26 46 46	<b>DENMARK</b>	TEXEL Electronics Ltd. 2 Ha 'umanut, P.O.B. 6272 IL-42160 Netanya Phone: +972 (0)3 / 863 08 91	<b>ISRAEL</b>	Beijer Electronics AS Postboks 487 NO-3002 Drammen Phone: +47 (0)32 / 24 30 00	<b>NORWAY</b>	CRAFT Cons. & Eng. d.o.o. Toplicna str.4 lok 6 SER-1800 Nis Phone: +381 (0)18 / 292-24-4/5, 523962	<b>SERBIA</b>	GTS Darulaceze Cad. No. 43 KAT. 2 TR-34384 Okmeydani-Istanbul Phone: +90 (0)212 / 320 1640	<b>TURKEY</b>
INEA CR d.o.o. Losinjska 4 a HR-10000 Zagreb Phone: +385 (0)1 / 36 940 - 01 / -02 / -03	<b>CROATIA</b>	Beijer Electronics Eesti OÜ Pärnu mnt.160i EE-11317 Tallinn Phone: +372 (0)6 / 51 81 40	<b>ESTONIA</b>	Kazpromautomatiks Ltd. 2, Scladskaya str. KAZ-470046 Karaganda Phone: +972 (0)9 / 863 08 91	<b>KAZAKHSTAN</b>	MPL Technology Sp. z o.o. Ul. Krakowska 30 PL-32-083 Balice Phone: +48 (0)12 / 630 47 00	<b>POLAND</b>	INEA SR d.o.o. Karadjordjeva 12/260 SER-113000 Smederevo Phone: +381 (0)18 / 292-24-4/5, 523962	<b>SERBIA</b>	CSC Automation Ltd. 15, M. Raskova St., Fl. 10, Office 1010 UA-02002 Kiev Phone: +380 (0)44 / 494 33 55	<b>UKRAINE</b>
AutoCont C. S., s.r.o. Jaakonkatu 2 CZ-721 00 Ostrava Svinov Phone: +420 (0)59 / 5691 150	<b>CZECH REPUBLIC</b>	Beijer Electronics OY Jaakonkatu 2 FIN-01620 Vantaa Phone: +358 (0)207 / 463 500	<b>FINLAND</b>	Beijer Electronics SIA Vestienas iela 2 LV-1035 Riga Phone: +371 (0)784 / 2280	<b>LATVIA</b>	Sirius Trading & Services srl Aleea Locali Morii Nr. 3 RO-060841 Bucuresti, Sector 6 Phone: +40 (0)21 / 430 40 06	<b>ROMANIA</b>	CS MTrade Slovensko, s.r.o. Slovakia Phone: +421 (0)33 / 7742 760	<b>SLOVAKIA</b>	CBI Ltd. Private Bag 2016 ZA-1600 Isando Phone: +27 (0)11 / 928 2000	<b>SOUTH AFRICA</b>



Mitsubishi Electric Europe B.V. /// FA - European Business Group /// Gothaer Straße 8 /// D-40880 Ratingen /// Germany  
Tel.: +49(0)2102-4860 /// Fax: +49(0)2102-4861 120 /// info@mitsubishi-automation.com /// www.mitsubishi-automation.com

Specifications subject to change /// Art. no. 224743-A /// 03.2009  
All trademarks and copyrights acknowledged.